# EAST Search History (Prior Art)

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|---|---|---|---|---|---|---|
| L1 | 559 | (johnson.in. \| main.in.) AND ("726".clas. \| "713".clas. \| "380".clas.) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2010/06/04 09:11 |
| L2 | 45 | biometric AND (johnson.in. \| main.in.) AND ("726".clas. \| "713".clas. \| "380".clas.) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2010/06/04 09:11 |
| L3 | 22 | biometric AND tamper$3 AND (johnson.in. \| main.in.) AND ("726".clas. \| "713".clas. \| "380".clas.) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2010/06/04 09:12 |
| L4 | 12 | biometric AND obfuscat$3 AND (johnson.in. \| main.in.) AND ("726".clas. \| "713".clas. \| "380".clas.) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2010/06/04 09:12 |
| L5 | 22 | biometric AND encod$3 AND (johnson.in. \| main.in.) AND ("726".clas. \| "713".clas. \| "380".clas.) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2010/06/04 09:13 |
| L6 | 20 | biometric.clm. AND encod$3.clm. AND sampl$3.clm. AND ("726".clas. \| "713".clas. \| "380".clas. \| "340".clas.) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2010/06/04 09:13 |
| L7 | 2 | tamper$3.clm. AND biometric.clm. AND encod$3.clm. AND sampl$3.clm. AND ("726".clas. \| "713".clas. \| "380".clas. \| "340".clas.) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2010/06/04 09:13 |
| L8 | 0 | tamper$1resist$3.clm. AND biometric.clm. AND encod$3.clm. AND sampl$3.clm. AND ("726".clas. \| "713".clas. \| "380".clas. \| "340".clas.) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2010/06/04 09:14 |

6/4/2010 9:15:49 AM
C:\Documents and Settings\olouie\My Documents\EAST\Workspaces\10743784_SecureMethAndSysForBiometricVerification_.wsp

Page 1

| L9 | 0 | (tamper$3.clm. NEAR resist$3) AND biometric.clm. AND encod$3.clm. AND sampl$3.clm. AND ("726".clas. \| "713".clas. \| "380".clas. \| "340".clas.) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2010/06/04 09:14 |
|---|---|---|---|---|---|---|
| L10 | 41 | (tamper$3.clm. NEAR resist$3) AND biometric.clm. AND ("726".clas. \| "713".clas. \| "380".clas. \| "340".clas.) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2010/06/04 09:14 |
| L11 | 15 | encod$3 AND (tamper$3.clm. NEAR resist$3) AND biometric.clm. AND ("726". clas. \| "713".clas. \| "380".clas. \| "340".clas.) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2010/06/04 09:14 |
| L12 | 38 | encrypt$3 AND (tamper$3.clm. NEAR resist$3) AND biometric.clm. AND ("726". clas. \| "713".clas. \| "380".clas. \| "340".clas.) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2010/06/04 09:14 |
| L13 | 2 | encrypt$3 AND branch$3 AND (tamper$3. clm. NEAR resist$3) AND biometric.clm. AND ("726".clas. \| "713".clas. \| "380".clas. \| "340".clas.) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2010/06/04 09:15 |
| S1 | 0 | ((generate OR create) NEAR (incorrect NEAR password)) AND biometric AND ("713".clas. OR "726".clas. OR "380".clas.) AND (@pd<"20010628" or @ad<"20010628" or @prad<"20010628" or @rlad<"20010628") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/08/24 14:32 |
| S2 | 0 | ((generate OR create) NEAR (incorrect password)) AND biometric AND ("713".clas. OR "726".clas. OR "380".clas.) AND (@pd<"20010628" or @ad<"20010628" or @prad<"20010628" or @rlad<"20010628") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/08/24 09:17 |
| S3 | 0 | ((generate OR create) NEAR (incorrect password)) AND ("713".clas. OR "726".clas. OR "380".clas.) AND (@pd<"20010628" or @ad<"20010628" or @prad<"20010628" or @rlad<"20010628") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/08/24 09:17 |

# EAST Search History (Prior Art)

| S4 | 0 | ((generate OR create) NEAR (incorrect NEAR password)) AND ("713".clas. OR "726".clas. OR "380".clas.) AND (@pd<"20010628" or @ad<"20010628" or @prad<"20010628" or @rlad<"20010628") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/08/24 09:17 |
|---|---|---|---|---|---|---|
| S5 | 0 | ((generate OR create) NEAR (incorrect WITH password)) AND ("713".clas. OR "726".clas. OR "380".clas.) AND (@pd<"20010628" or @ad<"20010628" or @prad<"20010628" or @rlad<"20010628") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/08/24 09:17 |
| S6 | 0 | ((generate OR create OR calculate) NEAR (incorrect WITH password)) AND ("713". clas. OR "726".clas. OR "380".clas.) AND (@pd<"20010628" or @ad<"20010628" or @prad<"20010628" or @rlad<"20010628") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/08/24 09:18 |
| S7 | 12 | ((generate OR create OR calculate) SAME (incorrect WITH password)) AND ("713". clas. OR "726".clas. OR "380".clas.) AND (@pd<"20010628" or @ad<"20010628" or @prad<"20010628" or @rlad<"20010628") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/08/24 09:18 |
| S8 | 2 | ((generate OR create OR calculate) SAME (incorrect WITH password)) AND biometric AND ("713".clas. OR "726".clas. OR "380". clas.) AND (@pd<"20010628" or @ad<"20010628" or @prad<"20010628" or @rlad<"20010628") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/08/24 09:18 |
| S9 | 568 | private key AND public key AND biometric AND ("713".clas. OR "726".clas. OR "380". clas.) AND (@pd<"20010628" or @ad<"20010628" or @prad<"20010628" or @rlad<"20010628") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/08/24 14:32 |
| S10 | 79 | private key AND public key AND biometric AND ("713/186".ccls.) AND (@pd<"20010628" or @ad<"20010628" or @prad<"20010628" or @rlad<"20010628") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/08/24 14:33 |
| S11 | 44 | (creat$3 OR generat$3) AND pair AND private key AND public key AND biometric AND ("713/186".ccls.) AND (@pd<"20010628" or @ad<"20010628" or @prad<"20010628" or @rlad<"20010628") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/08/27 08:37 |

| S12 | 44 | (creat$3 OR generat$3 OR calculat$3) AND pair AND private key AND public key AND biometric AND ("713/186".ccls.) AND (@pd<"20010628" or @ad<"20010628" or @prad<"20010628" or @rlad<"20010628") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/08/24 14:34 |
| S13 | 22 | ("well known") AND (creat$3 OR generat$3 OR calculat$3) AND pair AND private key AND public key AND biometric AND ("713/186".ccls.) AND (@pd<"20010628" or @ad<"20010628" or @prad<"20010628" or @rlad<"20010628") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/08/24 14:35 |
| S14 | 0 | ((pair NEAR (private key AND public key)) SAME ("well known")) AND (creat$3 OR generat$3 OR calculat$3) AND biometric AND ("713/186".ccls.) AND (@pd<"20010628" or @ad<"20010628" or @prad<"20010628" or @rlad<"20010628") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/08/24 14:36 |
| S15 | 0 | ((pair NEAR (private key AND public key)) SAME ("well known")) AND ("713/186".ccls.) AND (@pd<"20010628" or @ad<"20010628" or @prad<"20010628" or @rlad<"20010628") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/08/24 14:36 |
| S16 | 20 | ((pair NEAR (private key AND public key)) SAME ("well known")) AND ("713".clas. OR "726".clas. OR "380".clas.) AND (@pd<"20010628" or @prad<"20010628" or @rlad<"20010628") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/08/24 14:36 |
| S17 | 2 | "6490680".pn. | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/08/24 14:38 |
| S18 | 2 | "6655585".pn. | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/08/24 16:14 |
| S19 | 2 | "6779114".pn. | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/08/24 16:15 |

6/4/2010 9:15:49 AM
C:\Documents and Settings\olouie\My Documents\EAST\Workspaces\10743784_SecureMethAndSysForBiometricVerification_.wsp

Page 4

| S20 | 2 | "6085320".pn. | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/08/24 16:15 |
|---|---|---|---|---|---|---|
| S21 | 44 | verification AND threshold AND password AND ("713/186".ccls.) AND (@pd<"20010628" or @ad<"20010628" or @prad<"20010628" or @rlad<"20010628") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/08/27 08:38 |
| S22 | 33 | generate AND verification AND threshold AND password AND ("713/186".ccls.) AND (@pd<"20010628" or @ad<"20010628" or @prad<"20010628" or @rlad<"20010628") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/08/27 08:40 |
| S23 | 5 | generate AND verification threshold AND password AND ("713/186".ccls.) AND (@pd<"20010628" or @ad<"20010628" or @prad<"20010628" or @rlad<"20010628") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/08/27 08:41 |
| S24 | 5 | verification threshold AND password AND ("713/186".ccls.) AND (@pd<"20010628" or @ad<"20010628" or @prad<"20010628" or @rlad<"20010628") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/08/27 08:44 |
| S25 | 0 | verification threshold NEAR password AND (@pd<"20010628" or @ad<"20010628" or @prad<"20010628" or @rlad<"20010628") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/08/27 08:43 |
| S26 | 0 | verification threshold WITH password AND (@pd<"20010628" or @ad<"20010628" or @prad<"20010628" or @rlad<"20010628") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/08/27 08:43 |
| S27 | 1 | verification threshold SAME password AND (@pd<"20010628" or @ad<"20010628" or @prad<"20010628" or @rlad<"20010628") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/08/27 08:43 |

6/4/2010 9:15:49 AM
C:\Documents and Settings\olouie\My Documents\EAST\Workspaces\10743784_SecureMethAndSysForBiometricVerification_.wsp

Page 5

| S28 | 8 | verification threshold AND ("713/186".ccls.) AND (@pd<"20010628" or @ad<"20010628" or @prad<"20010628" or @rlad<"20010628") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/08/27 09:56 |
| S29 | 0 | bijection AND table AND ("713/186".ccls.) AND (@pd<"20010628" or @ad<"20010628" or @prad<"20010628" or @rlad<"20010628") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/08/27 09:57 |
| S30 | 83 | bijection AND table AND (@pd<"20010628" or @ad<"20010628" or @prad<"20010628" or @rlad<"20010628") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/08/27 09:57 |
| S31 | 66 | step AND algorithm AND bijection AND table AND (@pd<"20010628" or @ad<"20010628" or @prad<"20010628" or @rlad<"20010628") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/08/27 09:57 |
| S32 | 24 | nonlinear AND step AND algorithm AND bijection AND table AND (@pd<"20010628" or @ad<"20010628" or @prad<"20010628" or @rlad<"20010628") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/08/27 09:57 |
| S33 | 4 | nonlinear bijection AND step AND algorithm AND table AND (@pd<"20010628" or @ad<"20010628" or @prad<"20010628" or @rlad<"20010628") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/08/27 09:58 |
| S34 | 4 | nonlinear bijection AND algorithm AND table AND (@pd<"20010628" or @ad<"20010628" or @prad<"20010628" or @rlad<"20010628") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/08/27 09:58 |
| S35 | 4 | nonlinear bijection AND table AND (@pd<"20010628" or @ad<"20010628" or @prad<"20010628" or @rlad<"20010628") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/08/27 09:58 |

6/4/2010 9:15:49 AM
C:\Documents and Settings\olouie\My Documents\EAST\Workspaces\10743784_SecureMethAndSysForBiometricVerification_.wsp

Page 6

| S36 | 4 | nonlinear bijection AND (@pd< "20010628" or @ad< "20010628" or @prad< "20010628" or @rlad< "20010628") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/08/27 09:59 |
|-----|-----|-----|-----|-----|-----|-----|
| S37 | 157 | bijection AND (@pd< "20010628" or @ad< "20010628" or @prad< "20010628" or @rlad< "20010628") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/08/27 09:59 |
| S38 | 83 | table AND bijection AND (@pd< "20010628" or @ad< "20010628" or @prad< "20010628" or @rlad< "20010628") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/08/27 09:59 |
| S39 | 70 | algorithm AND table AND bijection AND (@pd< "20010628" or @ad< "20010628" or @prad< "20010628" or @rlad< "20010628") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/08/27 09:59 |
| S40 | 21 | algorithm AND table AND bijection AND ("713".clas. OR "726".clas. OR "380".clas.) AND (@pd< "20010628" or @ad< "20010628" or @prad< "20010628" or @rlad< "20010628") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/08/27 10:00 |
| S41 | 9 | algorithm AND table AND bijection AND ("713".clas.) AND (@pd< "20010628" or @ad< "20010628" or @prad< "20010628" or @rlad< "20010628") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/08/27 10:01 |
| S42 | 0 | algorithm AND table NEAR bijection AND ("713".clas.) AND (@pd< "20010628" or @ad< "20010628" or @prad< "20010628" or @rlad< "20010628") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/08/27 10:01 |
| S43 | 3 | algorithm AND table SAME bijection AND ("713".clas.) AND (@pd< "20010628" or @ad< "20010628" or @prad< "20010628" or @rlad< "20010628") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/08/27 10:01 |

6/4/2010 9:15:49 AM
C:\Documents and Settings\olouie\My Documents\EAST\Workspaces\10743784_SecureMethAndSysForBiometricVerification_.wsp

Page 7

# EAST Search History (Prior Art)

| S44 | 3 | table SAME bijection AND ("713".clas.) AND (@pd< "20010628" or @ad< "20010628" or @prad< "20010628" or @rlad< "20010628") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/08/27 10:03 |
|---|---|---|---|---|---|---|
| S45 | 36 | sequence AND disperse AND ("713".clas.) AND (@pd< "20010628" or @ad< "20010628" or @prad< "20010628" or @rlad< "20010628") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/08/27 10:04 |
| S46 | 12 | merge AND code AND block AND sequence AND disperse AND ("713".clas.) AND (@pd< "20010628" or @ad< "20010628" or @prad< "20010628" or @rlad< "20010628") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/08/27 10:07 |
| S47 | 4 | merge AND block NEAR code AND sequence AND disperse AND ("713".clas.) AND (@pd< "20010628" or @ad< "20010628" or @prad< "20010628" or @rlad< "20010628") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/08/27 10:07 |
| S48 | 11 | parameter AND template AND sampl$3 AND access control AND biometric AND ("713/186".ccls.) AND (@pd< "20010628" or @ad< "20010628" or @prad< "20010628" or @rlad< "20010628") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2008/06/17 12:50 |
| S49 | 0 | tamper$1resistan$2 AND parameter AND template AND sampl$3 AND access control AND biometric AND ("713/186".ccls.) AND (@pd< "20010628" or @ad< "20010628" or @prad< "20010628" or @rlad< "20010628") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2008/06/17 13:23 |
| S50 | 0 | tamper$1resistan$2 AND template AND sampl$3 AND access control AND biometric AND ("713/186".ccls.) AND (@pd< "20010628" or @ad< "20010628" or @prad< "20010628" or @rlad< "20010628") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2008/06/17 13:23 |
| S51 | 2 | tamper$1resistan$2 AND template AND sampl$3 AND biometric AND ("713/186". ccls.) AND (@pd< "20010628" or @ad< "20010628" or @prad< "20010628" or @rlad< "20010628") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2008/06/17 13:23 |

| S52 | 2 | tamper$1resistan$2 AND template AND sampl$3 AND biometric AND ("713/186, 194".ccls.) AND (@pd<"20010628" or @ad<"20010628" or @prad<"20010628" or @rlad<"20010628") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2008/06/17 13:25 |
|---|---|---|---|---|---|---|
| S53 | 3 | tamper$1resistan$2 AND template AND sampl$3 AND biometric AND ("713/186, 194".ccls. \| 726/2,16,21,26,27.ccls.) AND (@pd<"20010628" or @ad<"20010628" or @prad<"20010628" or @rlad<"20010628") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2008/06/17 13:25 |
| S54 | 40 | tamper$1resistan$2 AND template AND sampl$3 AND biometric AND (@pd<"20010628" or @ad<"20010628" or @prad<"20010628" or @rlad<"20010628") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2008/06/17 13:27 |
| S55 | 38 | encod$3 AND software AND tamper$1resistan$2 AND template AND sampl$3 AND biometric AND (@pd<"20010628" or @ad<"20010628" or @prad<"20010628" or @rlad<"20010628") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2008/06/17 13:27 |
| S56 | 29 | parameter$1 AND encod$3 AND software AND tamper$1resistan$2 AND template AND sampl$3 AND biometric AND (@pd<"20010628" or @ad<"20010628" or @prad<"20010628" or @rlad<"20010628") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2008/06/17 13:27 |
| S57 | 29 | parameter$1 AND encod$3 AND software AND tamper$1resistan$2 AND template$1 AND sampl$3 AND biometric AND (@pd<"20010628" or @ad<"20010628" or @prad<"20010628" or @rlad<"20010628") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2008/06/17 13:27 |
| S58 | 29 | verif$7 AND parameter$1 AND encod$3 AND software AND tamper$1resistan$2 AND template$1 AND sampl$3 AND biometric AND (@pd<"20010628" or @ad<"20010628" or @prad<"20010628" or @rlad<"20010628") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2008/06/17 13:35 |
| S59 | 38 | verif$7 AND encod$3 AND software AND tamper$1resistan$2 AND template$1 AND sampl$3 AND biometric AND (@pd<"20010628" or @ad<"20010628" or @prad<"20010628" or @rlad<"20010628") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2008/06/17 13:46 |

6/4/2010 9:15:49 AM
C:\Documents and Settings\olouie\My Documents\EAST\Workspaces\10743784_SecureMethAndSysForBiometricVerification_.wsp

Page 9

| S60 | 37 | (johnson.in. \| main.in.) AND ("713/186, 194".ccls. \| 726/2,16,21,26,27.ccls.) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2008/06/17 13:47 |
|-----|----|-----|-----|-----|-----|-----|
| S61 | 5 | biometric AND (johnson.in. \| main.in.) AND ("713/186,194".ccls. \| 726/2,16,21,26,27. ccls.) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2008/06/17 13:48 |
| S62 | 4 | tamper$ AND biometric AND (johnson.in. \| main.in.) AND ("713/186,194".ccls. \| 726/2, 16,21,26,27.ccls.) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2008/06/17 13:52 |
| S63 | 1 | WO-0177788-$.did. | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2008/06/17 14:04 |
| S64 | 2 | "5947747".pn. | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2008/06/17 14:10 |
| S65 | 6 | "6490680".pn. \| "5457747".pn. \| "6363485". pn. | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2008/06/17 14:11 |
| S66 | 2 | biometric.clm. AND tamper.clm. AND resistan$2.clm. AND verif$7.clm. AND (software.clm. \| application.clm.) AND ("713/186,194".ccls. \| 726/2,16,21,26,27. ccls.) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2008/06/17 14:48 |
| S67 | 4 | biometric.clm. AND tamper.clm. AND resistan$2.clm. AND (software.clm. \| application.clm.) AND ("713/186,194".ccls. \| 726/2,16,21,26,27.ccls.) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2008/06/17 14:48 |

| S68 | 10 | biometric.clm. AND tamper.clm. AND resistan$2.clm. AND (software.clm. \| application.clm.) AND ("713".clas. \| "726".clas.) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2008/06/17 14:49 |
|---|---|---|---|---|---|---|
| S69 | 10 | biometric.clm. AND tamper.clm. AND resistan$2.clm. AND (software.clm. \| application.clm.) AND ("713".clas. \| "726".clas. \| "380".clas.) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2008/06/17 14:49 |
| S70 | 14 | biometric.clm. AND tamper.clm. AND resistan$2.clm. AND (software.clm. \| application.clm.) AND ("713".clas. \| "726".clas. \| "380".clas. \| "705".clas.) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2008/06/17 14:50 |
| S71 | 31 | tamper$1resistan$2 AND template AND sampl$3 AND (software \| application) AND ("713/186,194".ccls. \| 726/2,16,21,26,27.ccls.) AND (@pd<"20010628" or @ad<"20010628" or @prad<"20010628" or @rlad<"20010628") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2008/06/18 08:54 |
| S72 | 1 | partial evaluation AND tamper$1resistan$2 AND biometric AND (software \| application) AND ("713/186,194".ccls. \| 726/2,16,21,26,27.ccls.) AND (@pd<"20010628" or @ad<"20010628" or @prad<"20010628" or @rlad<"20010628") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2008/06/18 09:01 |
| S73 | 4 | partial evaluation AND (software \| application) AND ("713/186,194".ccls. \| 726/2,16,21,26,27.ccls.) AND (@pd<"20010628" or @ad<"20010628" or @prad<"20010628" or @rlad<"20010628") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2008/06/18 09:01 |
| S74 | 4 | partial evaluation AND ("713/186,194".ccls. \| 726/2,16,21,26,27.ccls.) AND (@pd<"20010628" or @ad<"20010628" or @prad<"20010628" or @rlad<"20010628") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2008/06/18 09:13 |
| S75 | 154 | partial evaluation AND (@pd<"20010628" or @ad<"20010628" or @prad<"20010628" or @rlad<"20010628") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2008/06/18 09:14 |

6/4/2010 9:15:49 AM
C:\Documents and Settings\olouie\My Documents\EAST\Workspaces\10743784_SecureMethAndSysForBiometricVerification_.wsp

Page 11

| S76 | 13 | partial evaluation AND ("713".clas. \| "726". clas. \| "380".clas.) AND (@pd<"20010628" or @ad<"20010628" or @prad<"20010628" or @rlad<"20010628") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2008/06/18 09:15 |
|-----|-----|-----|-----|-----|-----|-----|
| S77 | 2 | "6655585".pn. | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2008/06/18 13:29 |
| S78 | 2 | "6085320".pn. | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2008/06/18 13:54 |
| S79 | 95050 | (johnson.in. \| main.in.) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2008/12/12 15:15 |
| S80 | 10 | ("5892899"\|"5991408"\|"6006328"\|"6035398"\|"6035403").PN. | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2008/12/12 15:21 |
| S81 | 3 | (johnson.in. \| main.in.) AND biometric$1 AND verif$7 AND template AND sampl$3 AND evaluation | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2008/12/12 15:22 |
| S82 | 8 | "6655585".pn. \| "6085320".pn. \| "6668325".pn. \| "6779114".pn. | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2008/12/12 15:27 |
| S83 | 10 | (partial NEAR evaluat$3) AND ("713/186, 194".ccls. \| 726/2,16,21,26,27.ccls.) AND (@pd<"20031224" \| @ad<"20031224" \| @prad<"20031224" \| @rlad<"20031224") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2008/12/12 15:35 |

| S84 | 10 | (partial NEAR evaluat$3) AND ("713/186, 194".ccls. \| 726/2,16,21,26,27.ccls. \| 380/59.ccls.) AND (@pd<"20031224" \| @ad<"20031224" \| @prad<"20031224" \| @rlad<"20031224") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2008/12/12 15:35 |
|---|---|---|---|---|---|---|
| S85 | 117 | (biometric NEAR (obfuscat$3 \| encrypt$3 \| hash$3)) AND ("713/186,194".ccls. \| 726/2, 16,21,26,27.ccls. \| 380/59.ccls.) AND (@pd<"20031224" \| @ad<"20031224" \| @prad<"20031224" \| @rlad<"20031224") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2009/08/12 11:13 |
| S86 | 54 | template AND (biometric NEAR (obfuscat$3 \| hash$3)) AND ("713/186,194". ccls. \| 726/2,16,21,26,27.ccls. \| 380/59.ccls. ) AND (@pd<"20031224" \| @ad<"20031224" \| @prad<"20031224" \| @rlad<"20031224") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2009/08/12 11:14 |
| S87 | 16 | ((biometric NEAR template) NEAR (obfuscat$3 \| encrypt$3 \| hash$3)) AND ("713/186,194".ccls. \| 726/2,16,21,26,27. ccls. \| 380/59.ccls.) AND (@pd<"20031224" \| @ad<"20031224" \| @prad<"20031224" \| @rlad<"20031224") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2009/08/12 11:14 |
| S88 | 2 | "20030070079".pn. | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2009/08/12 13:27 |
| S89 | 2 | "20030088782".pn. | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2009/08/12 13:35 |
| S90 | 2 | "6317834".pn. | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2009/08/12 14:11 |
| S91 | 1 | WO-03065169-A$.did. | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2009/08/12 14:26 |

| S92 | 2 | "6779114".pn. | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2010/05/18 15:04 |
|---|---|---|---|---|---|---|
| S93 | 18 | ((biometric NEAR template) NEAR (obfuscat$3 \| encrypt$3 \| hash$3 \| tamper$3 \| (tamper NEAR resist$4))) AND ("713/186,194".ccls. \| 726/2,16,21,26,27. ccls. \| 380/59.ccls.) AND (@pd<"20031224" \| @ad<"20031224" \| @prad<"20031224" \| @rlad<"20031224") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2010/05/19 09:44 |
| S94 | 35 | (johnson.in. \| main.in.) AND biometric$1 AND template$1 AND sampl$3 | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2010/05/19 14:56 |
| S95 | 131 | ((biometric NEAR template) AND (obfuscat$3 \| encrypt$3 \| hash$3 \| tamper$3 \| (tamper NEAR resist$4))) AND ("713/186,194".ccls. \| 726/2,16,21,26,27. ccls. \| 380/59.ccls.) AND (@pd<"20031224" \| @ad<"20031224" \| @prad<"20031224" \| @rlad<"20031224") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2010/05/19 14:57 |
| S96 | 198 | ((biometric NEAR template) AND (obfuscat$3 \| encrypt$3 \| hash$3 \| tamper$3 \| (tamper NEAR resist$4))) AND ("713".clas. \| "726".clas. \| "380".clas.) AND (@pd<"20031224" \| @ad<"20031224" \| @prad<"20031224" \| @rlad<"20031224") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2010/05/19 14:57 |